Amendments To The Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

What is claimed is:

1. (Original) A compound of formula (I);

$$\begin{array}{c|c}
R^{1}R^{2}N & R^{4} \\
R^{1}R^{2}N & R^{6}
\end{array}$$
(I)

wherein:

Y is phenyl, unsubstituted or substituted with one, two or three substituents;

 R^1 is selected from hydrogen, $C_{1\text{-}6}$ alkyl, $C_{3\text{-}6}$ cycloalkyl, or halosubstituted $C_{1\text{-}6}$ alkyl;

 R^2 is $(CH_2)_mR^3$ where m is 0 or 1;

or R¹ and R² together with N to which they are attached form an unsubstituted or substituted 4- to 8- membered non-aromatic heterocyclyl ring;

 R^3 is hydrogen, an unsubstituted or substituted 4- to 8- membered non-aromatic heterocyclyl group, an unsubstituted or substituted C_{3-8} cycloalkyl group, an unsubstituted or substituted straight or branched C_{1-10} alkyl, an unsubstituted or substituted C_{5-7} cycloalkenyl, R^5 ; or R^3 is an unsubstituted or substituted 5- to 6- membered aromatic heterocyclyl group, or group A:

 R^4 is selected from hydrogen, C_{1-6} alkyl, C_{3-6} cycloalkyl, or halosubstituted C_{1-6} alkyl, COCH₃, or SO₂Me;

R⁵ is

wherein p is 0, 1 or 2, and X is CH2, O, S, SO or SO2,

R⁶ is halo, an substituted or unsubstituted (C₁₋₆)alkyl, (C₃₋₆)cycloalkyl, 4-to 7- membered non aromatic heterocyclyl group;

R⁷ is OH, C₁₋₆alkoxy, NR^{8a}R^{8b}, NHCOR⁹, NHSO₂R⁹, SOqR⁹;

R^{8a} is H or C₁₋₆alkyl;

R^{8b} is H or C₁₋₆alkyl;

R⁹ is C₁₋₆alkyl;

Ra is independently selected from hydrogen, fluoro, chloro or trifluoromethyl;

Rb is independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} alkoxy, halo C_{1-6} alkoxy, hydroxy, cyano, halo, sulfonyl, CONH₂, COOH or NHCOOC₁. $_{6}$ alkyl;

R¹² is hydrogen or C₁₋₆alkyl;

q is 0, 1 or 2;

or a pharmaceutically acceptable derivative thereof,

wherein the compound is not (5-{[bis-(2-methoxy-ethyl)-amino]-methyl}-4-trifluoromethyl-pyrimidin-2-yl)-(3-chlorophenyl)-amine or {1-[2-(3-chlorophenyl)-amino)-4-trifluoromethyl-pyrimidin-5-ylmethyl]-piperidin-4-yl}-methanol, formate.

2. (Original) A compound as claimed in Claim 1 wherein the compound of formula (I) is a compound of formula (Ia):

$$R^{1}R^{2}N$$
 R^{12}
 R^{6}
(Ia)

wherein;

R¹ is selected from hydrogen, C₁₋₆ alkyl, C₃₋₆ cycloalkyl and halosubstitutedC₁₋₆ alkyl;

 R^2 is $(CH_2)_mR^3$ where m is 0 or 1;

or R^1 and R^2 together with N to which they are attached form a 4- to 8-membered non- aromatic ring selected from azetidinyl, pyrrolidinyl, morpholinyl, piperizinyl, piperidinyl, thiomorpholinyl, tetrahydropyridinyl, azapine, oxapine, azacyclooctanyl, azaoxacyclooctanyl and azathiacyclooctanyl any of which can be unsubstituted or substituted by one, two or three substituents selected from C_{1-6} alkyl, C_{1-6} alkylOH, C_{1-6} alkoxy, a hydroxy group, a cyano group, halo, sulfonyl group, methylsulfonyl, $NR^{Ba}R^{Bb}$, $NHCOCH_3$, (=O), -CONHCH $_3$ and $NHSO_2CH_3$, $C(O)OC_{1-6}$ alkyl;

R³ is hydrogen, 2- or 3- azetidinyl, oxetanyl, thioxetanyl, thioxetanyl-s-oxide, thioxetanyl-s,s-dioxide, dioxalanyl, pyrrolidinyl, tetrahydrofuranyl, tetrahydrothiophenyl, tetrahydrothiophenyl-s-oxide, tetrahydrothiophenyl-s,s-dioxide, morpholinyl, piperidinyl, piperazinyl, tetrahydropyranyl, tetrahydrothiopyranyl, tetrahydrothiopyranyl-s-dioxide, tetrahydrothiopyranyl-s,s-dioxide, thiomorpholinyl, thiomorpholinyl-s,s-dioxide, tetrahydropyridinyl, dioxanyl, tetrahydrothiopyran 1,1 dioxide, azapine, oxapine, azacyclooctanyl, azaoxacyclooctanyl, azathiacyclooctanyl, oxacylcooctanyl, thiacyclooctanyl, a C₃₋₈ cycloalkyl group, a straight or branched C₁₋₁₀ alkyl, a C₅₋₇ cycloalkenyl or R⁵, any of which can be unsubstituted or substituted by one, two or three substituents selected from C₁₋₆ alkyl, C₁₋₆ alkoxy, a hydroxy group, a cyano group, halo, sulfonyl group, methylsulfonyl, NR^{8a}R^{8b}, NHCOCH₃, (=O), and -CONHCH₃ and when R³ is alkyl it can be phenyl or phenyl substituted by halo, hydroxy or cyano;

or R³ is group A or selected from furanyl, dioxalaryl, pyrrolyl, oxazolyl, thiazolyl, imidazolyl, oxadiazolyl, thiadiazolyl, triazolyl, triazinyl, isothiazolyl, isoxazolyl, thienyl, pyrazolyl, tetrazolyl, pyridinyl, pyrizinyl, pyrimidinyl, pyrazinyl, triazinyl, or tetrazinyl any of which can be unsubstituted or substituted by one, two or three substituents selected from C₁₋₆ alkyl, C₁₋₆ alkoxy, a hydroxy group, a cyano group, halo, sulfonyl group, methylsulfonyl, NR^{8a}R^{8b}, NHCOCH₃, (=O), and -CONHCH₃;

 R^{11} is selected from $C_{1\text{--}6}$ alkyl, halosubstituted $C_{1\text{--}6}$ alkyl, $C_{1\text{--}6}$ alkoxy, a hydroxy group, a cyano group, halo, a $C_{1\text{--}6}$ alkyl sulfonyl group, -CONH₂, - NHCOC₁₋₆ alkyl, -COOH, -CH₂COOH, halosubstituted $C_{1\text{--}6}$ alkoxy, SC₁₋₆ alkyl and SO₂NR^{8a}R^{8b};

 R^4 is selected from hydrogen, C_{1-6} alkyl, C_{3-6} cycloalkyl, or halosubstituted C_{1-6} alkyl, COCH₃, and SO₂Me;

R⁵ is

wherein p is 0, 1 or 2 and X is CH₂, O, S, SO or SO₂;

 R^6 is halo, a substituted or unsubstituted (C₁₋₆)alkyl, (C₃₋₆)cycloalkyl, 4-to 7- membered non aromatic heterocyclyl group;

R⁷ is OH, C₁₋₆alkoxy, NR^{6a}R^{6b}, NHCOR⁹, NHSO₂R⁹, SOqR⁹;

R^{8a} is H or C₁₋₆alkyl;

R^{8b} is H or C₁₋₆alkyl;

R⁹ is C₁₋₆alkyl;

R¹² is hydrogen or C₁₋₆alkyl;

Ra is independently selected from hydrogen, fluoro, chloro or trifluoromethyl;

Rb is independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} alkoxy, halo C_{1-6} alkoxy, hydroxy, cyano, halo, sulfonyl, CONH₂, COOH or NHCOOC₁. $_{6}$ alkyl;

q is 0, 1 or 2;

d is 0, 1, 2 or 3

or a pharmaceutically acceptable derivative thereof

wherein the compound is not (5-{[bis-(2-methoxy-ethyl)-amino]-methyl}-4-trifluoromethyl-pyrimidin-2-yl)-(3-chlorophenyl)-amine or {1-[2-(3-chloro-phenylamino)-4-trifluoromethyl-pyrimidin-5-ylmethyl]-piperidin-4-yl}-methanol, formate.

3. (Original) A compound as claimed in Claim 1 wherein the compound of formula (I) is a compound of formula (Ib):

$$\mathbb{R}^{\frac{1}{2}} \xrightarrow{H} \mathbb{N} \mathbb{N}$$

$$\mathbb{R}^{\frac{1}{2}} \mathbb{N}$$

$$\mathbb{N}$$

$$\mathbb{R}^{\frac{1}{2}} \mathbb{N}$$

$$\mathbb{N}$$

$$\mathbb{N$$

wherein;

R¹ is hydrogen or methyl;

 $m R^3$ is an unsubstituted or substituted 4- to 8- membered non-aromatic heterocyclyl group an unsubstituted or substituted $m C_{3-8}$ cycloalkyl group, an unsubstituted or substituted straight or branched $m C_{1-10}$ alkyl;

 R^6 is an substituted or unsubstituted (C₁₋₆)alkyl, (C₃₋₆)cycloalkyl, or 4- to 7- membered non aromatic heterocyclyl group;

R¹¹ is selected from halo, cyano, methyl, trifluoromethyl, methoxy, trifluoromethoxy or SCH₃;

d is 0, 1, 2 or 3;

or a pharmaceutically acceptable derivative thereof wherein the compound is not

{1-[2-(3-chloro-phenylamino)-4-trifluoromethyl-pyrimidin-5-ylmethyl]-piperidin-4-yl}-methanol, formate.

4. (Original) A compound as claimed in Claim 1 wherein the compound of formula (I) is a compound of formula (Ic):

$$\mathbb{R}^{3} \xrightarrow{\mathsf{N}} \mathbb{N} \xrightarrow{\mathsf{N}} \mathbb{N} \times \mathbb{N}$$

wherein

R¹ is hydrogen or methyl.

R³ is group A, pyridinyl, or pyrimidinyl, any of which can be optionally substituted;

Ra is independently selected from hydrogen, fluoro, chloro or trifluoromethyl;

Rb is independently selected from hydrogen, C_{1-6} alkyl, C_{1-6} alkoxy, halo C_{1-6} alkoxy, hydroxy, cyano, halo, sulfonyl, CONH₂, COOH or NHCOOC₁₋₆ alkyl;

R⁶ is an substituted or unsubstituted (C₁₋₆)alkyl, (C₃₋₆)cycloalkyl or 4- to 7- membered non aromatic heterocyclyl group;

R¹¹ is selected from halo, cyano, methyl, trifluoromethyl, methoxy, trifluoromethoxy SCH₃;

d is 0, 1, 2 or 3;

or a pharmaceutically acceptable derivative thereof.

- (Currently Amended) A compound as claimed in any one of claims
 to 4 wherein R⁶ is either cyclopropyl, isopropyl, tert-butyl or trifluoromethyl.
- 6. Canceled.

- 7. (Currently Amended) A pharmaceutical composition comprising a compound as claimed in any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof and a pharmaceutical carrier or diluent thereof.
- 8. (Currently Amended) A pharmaceutical composition as claimed in claim 7 further comprising a second theraputic agent.
- 9. (Currently Amended) A method of treating a mammal suffering from a condition which is mediated by the activity of cannabinoid 2 receptors which comprises administering to said subject a therapeutically effective amount of a compound of formula (I) as claimed in any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof.
- 10. (Currently Amended) A compound of formula (I) as claimed in any one of claims 1 to 6 or a pharmaceutically acceptable derivative thereof for use as a medicament in the treatment of pain.
- 11. (New) A pharmaceutical composition comprising a compound as claimed in claim 1 or a pharmaceutical derivative thereof and at least one Cox-2 inhibitor.
- 12. (New) A pharmaceutical composition comprising a compound as claimed in claim 1 or a pharmaceutical derivative thereof and at least one PDE4 inhibitor.
- 13. (New) The method of claim 9 wherein the condition is selected from an immune disorder, an inflammatory disorder, pain, rheumatoid arthritis, multiple sclerosis, osteoarthritis or osteoporosis.